

Amendments to the Claims: This listing of claims will replace all prior versions, and listings, of claims in the application

Listing of Claims:

1. (Withdrawn) An information recommendation apparatus comprising:

recommendation means of selecting and recommending contents coincident with or similar to conditions input by condition input means of inputting said conditions represented by predetermined items and attribute values corresponding thereto designated through the terminal of a user via the Internet, from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered by registration means, wherein

said recommended contents are output to said terminal by output means via said Internet.

2. (Withdrawn) An information recommendation apparatus comprising:

recommendation means of selecting and recommending contents coincident with or similar to conditions input by condition input means of inputting said conditions represented by predetermined items and attribute values corresponding thereto, from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered by registration means, wherein

said recommended contents are output by output means, and

said items are subjective items resulting from human decisions and impressions, and/or objective items free from human decisions and impressions.

3. (Withdrawn) An information recommendation apparatus comprising:

recommendation means of selecting and recommending contents coincident with or similar to conditions input by condition input means of inputting said conditions represented by predetermined items and attribute values corresponding thereto, from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered by registration means, wherein

said recommended contents are output by output means, and

a scoring method for scoring points to each of said items depending on the degree of similarity is predetermined in order to judge the similarity between said conditions to be input and each of said contents.

4. (Withdrawn) An information recommendation apparatus comprising:

recommendation means of selecting and recommending contents coincident with or similar to conditions input by condition input means of inputting said conditions represented by

predetermined items and attribute values corresponding thereto, from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered by registration means, wherein

said recommended contents are output by output means, and

a thesaurus is used to judge the similarity between said conditions to be input and each of said contents in the case when said attribute values are represented by words.

5. (Currently Amended) An information recommendation apparatus comprising:

recommendation means of selecting and recommending contents coincident with or similar to conditions input by condition input means of inputting said conditions represented by predetermined items and attribute values corresponding thereto, from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered by registration means, wherein

said recommended contents are output by output means, and

the number of times or the content of the recommendation which a user attempting to receive recommendation receives recommendation or the content of the recommendation is determined depending on the number of times said user carried out registration by using said content registration means.

6. (Original) An information recommendation apparatus according to claim 5, wherein the number of registration times of said user is determined (a) by checking the access history of said user with respect to registration or (b) by assigning the user ID of the registrant to said content and by using said user ID.

7. (Canceled).

8. (Canceled).

9. (Withdrawn) An information recommendation apparatus according to claim 7, wherein the characteristic of each item of said user is obtained by calculation each time said user registers said data.

10. (Canceled).

11. (Withdrawn) An information recommendation apparatus according to claim 10, wherein the characteristic of each item of said user is obtained by calculation by characteristic calculation means each time said user receives recommendation or each time said user receives recommendation and specifies the contents.

12. (Withdrawn) An information recommendation apparatus according to claim 8 or 10, wherein, when said conditions are extracted from said contents, said conditions having tendencies opposite to those of said contents are extracted.

13. (Withdrawn) An information recommendation apparatus according to claim 7, wherein said condition input means inputs said externally input conditions and said automatically extracted conditions, and

said recommendation means selects contents coincident with or similar to said automatically extracted conditions from only said contents conforming to said externally input conditions and recommend said selected contents.

14. (Withdrawn) An information recommendation apparatus comprising:

recommendation means of selecting and recommending contents coincident with or similar to conditions input by condition input means of inputting said conditions represented by predetermined items and attribute values corresponding thereto, from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered by registration means, wherein

said recommended contents are output by output means,

on the basis of contents registered in the past by a user attempting to receive recommendation, contents recommended to said user or contents recommended to and specified by said user, characteristic information calculation means of obtaining characteristic information by calculation for each of said items and storing said characteristic information obtains said characteristic information by calculation and stores said characteristic information, and

in the case of recommendation to a specific user, said recommendation means specifies other users whose characteristic information is coincident or similar to said characteristic information of said specific user by using said stored characteristic information, and selects and recommends contents registered in the past by said other users, contents recommended to said other users or contents recommended to and specified by said other users.

15. (Withdrawn) An information recommendation apparatus comprising:

recommendation means of selecting and recommending recipes coincident with or similar to conditions input by condition input means of inputting said conditions represented by predetermined items and attribute values corresponding thereto from a content database, that is, from among said recipes formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in said content database in which said recipes are registered by registration means, wherein

said recommended contents are output by output means,

said content database is classified into recipe groups for dishes taken for a meal, and

when said conditions are input, said recommendation means determines a recipe coincident with or most similar to said conditions, and selects and determines all or part of recipes other than said determined recipe.

16. (Withdrawn) An information recommendation apparatus comprising:

recommendation means of selecting and recommending contents coincident with or similar to conditions input by condition input means of inputting said conditions represented by predetermined items and attribute values corresponding thereto, from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered by registration means, wherein

said recommended contents are output by output means,

on the basis of contents registered in the past by a user attempting to receive recommendation, contents recommended to said user or contents recommended to and specified by said user, characteristic information calculation means of obtaining characteristic information by calculation for each of said items and storing said characteristic information obtains said characteristic information by calculation and stores said characteristic information,

while various characteristics regarding said user have been input, type information calculation means of using said characteristic information obtained for each of said items by calculation for each characteristic as said type information, and

type judgment means judges the type of said user attempting to receive recommendation by comparing said characteristic information of said user attempting to receive recommendation with said type information.

17. (Withdrawn) An information recommendation apparatus comprising:

recommendation means of selecting and recommending contents coincident with or similar to conditions input by condition input means of inputting said conditions represented by predetermined items and attribute values corresponding thereto, from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered by registration means, wherein

said recommended contents are output by output means, and

among advertisements stored in an advertisement database for storing plural advertisements having related information having the same configuration as those of said items and said attribute values in said contents, advertisements coincident with or similar to said input conditions are specified by advertisement specifying means.

18. (Withdrawn) An information recommendation apparatus comprising:

recommendation means of selecting and recommending contents coincident with or similar to conditions input by condition input means of inputting said conditions represented by predetermined items and attribute values corresponding thereto, from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered by registration means, wherein

said recommended contents are output by output means, and

among advertisements stored in an advertisement database for storing plural advertisements having related information having the same configuration as those of said item and said attribute value in said contents, on the basis of contents registered in the past by a user attempting to receive recommendation, contents recommended to said user or contents recommended to and specified by said user, said advertisement, which is similar to the characteristic information of each item for said user and is obtained by calculation and stored, is specified by advertisement specifying means.

19. (Withdrawn) An information recommendation apparatus according to claim 17 or 18, wherein

the number of times said advertisement is specified is counted by an advertisement counter, and

an advertisement rate is charged depending on the count value of said advertisement counter.

20. (Withdrawn) An information recommendation apparatus according to one of claims 1 to 6 and 13 to 18, wherein said condition input means inputs said conditions by using a one-dimensional or two-dimensional interface.

21. (Withdrawn) An information recommendation apparatus according to one of claims 1 to 11 and 13 to 18, wherein said recommendation means does not recommend said contents recommended to a user in a predetermined period in the past to said user again.

22. (Withdrawn) An information recommendation apparatus according to one of claims 1, 2, 5 to 11 and 13 to 18, wherein said recommendation means selects and recommends contents including a character string coincident with the character string included in said input conditions from said content database.

23. (Withdrawn) An information recommendation apparatus comprising:

from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered by registration means,

recommendation means, in the case when recommendation is performed to said user having an input user ID, of specifying other users whose characteristic information is coincident or similar to said characteristic information of said user having said user ID by using said characteristic information, and of selecting and recommending only the contents not recommended to said user having said user ID or only the contents recommended to but not specified by said user from among contents registered in the past by said specified user, contents recommended to said user or contents recommended to and specified by said user,

wherein said recommended contents are output by output means, and

said characteristic information is obtained by calculation for each item and stored by characteristic information calculation means on the basis of contents registered in the past by each user attempting to receive recommendation, contents recommended to said user or contents recommended to and specified by said user.

24. (Withdrawn) An information recommendation system comprising:

a content database for storing contents formed of plural pieces of data having plural items and attribute values corresponding thereto;

content registration means of registering said contents in said content database;

condition input means of inputting conditions represented by predetermined items and attribute values via the Internet when said conditions are designated through the terminal of a user;

recommendation means of selecting and recommending contents coincident with or similar to said input conditions from said content database; and

output means of outputting said recommended contents to said terminal via said Internet.

25. (Withdrawn) An information recommendation system comprising:

a content database for storing contents formed of plural pieces of data having plural items and attribute values corresponding thereto;

content registration means of registering said contents in said content database;

condition input means of inputting conditions represented by predetermined items and attribute values;

recommendation means of selecting and recommending contents coincident with or similar to said input conditions from said content database; and

output means of outputting said selected contents, wherein

said items are subjective items resulting from human decisions and impressions, and/or objective items free from human decisions and impressions.

26. (Withdrawn) An information recommendation system comprising:

a content database for storing contents formed of plural pieces of data having plural items and attribute values corresponding thereto;

content registration means of registering said contents in said content database;

condition input means of inputting conditions represented by predetermined items and attribute values;

recommendation means of selecting and recommending contents coincident with or similar to said input conditions from said content database; and

output means of outputting said recommended contents, wherein

a scoring method for scoring points to each of said items depending on the degree of similarity is predetermined in order to judge the similarity between said conditions to be input and each of said contents.

27. (Withdrawn) An information recommendation system comprising:

a content database for storing contents formed of plural pieces of data having plural items and attribute values corresponding thereto;

content registration means of registering said contents in said content database;

condition input means of inputting conditions represented by predetermined items and attribute values;

recommendation means of selecting and recommending contents coincident with or similar to said input conditions from said content database; and

output means of outputting said recommended contents, wherein

a thesaurus is used to judge the similarity between said conditions to be input and each of said contents in the case when said attribute values are represented by words.

28. (Currently Amended) An information recommendation system comprising:

a content database for storing contents formed of plural pieces of data having plural items and attribute values corresponding thereto;

content registration means of registering said contents in said content database;

condition input means of inputting conditions represented by predetermined items and attribute values;

recommendation means of selecting and recommending contents coincident with or similar to said input conditions from said content database; and

output means of outputting said recommended contents, wherein

the number of times or the content of the recommendation which a user attempting to receive recommendation receives ~~recommendation or the content of the recommendation~~ is determined depending on the number of times said user carried out registration by using said content registration means.

29. (Withdrawn) An information recommendation system comprising:

a content database for storing contents formed of plural pieces of data having plural items and attribute values corresponding thereto;

content registration means of registering said contents in said content database;

condition input means of inputting conditions represented by predetermined items and attribute values;

recommendation means of selecting and recommending contents coincident with or similar to said input conditions from said content database;

output means of outputting said recommended contents, and

condition extraction means of automatically extracting said conditions, wherein

said conditions input to said condition input means are conditions extracted by condition extraction means.

30. (Withdrawn) An information recommendation system comprising:

a content database for storing contents formed of plural pieces of data having plural items and attribute values corresponding thereto;

content registration means of registering said contents in said content database;

condition input means of inputting conditions represented by predetermined items and attribute values;

recommendation means of selecting and recommending contents coincident with or similar to said input conditions from said content database;

output means of outputting said recommended contents; and

characteristic information calculation means of obtaining characteristic information by calculation for each of said items and storing said characteristic information on the basis of contents registered in the past by a user attempting to receive recommendation, contents recommended to said user or contents recommended to and specified by said user, wherein,

in the case of recommendation to a specific user, said recommendation means specifies other users whose characteristic information is coincident or similar to said characteristic information of said specific user by using said stored characteristic information, and selects and recommends contents registered in the past by said other users, contents recommended to said other users or contents recommended to and specified by said other users.

31. (Withdrawn) An information recommendation system comprising:

a content database for storing recipes formed of plural pieces of data having plural items and attribute values corresponding thereto;

content registration means of registering said recipes in said content database;

condition input means of inputting conditions represented by predetermined items and attribute values;

recommendation means of selecting and recommending recipes coincident with or similar to said input conditions from said content database; and

output means of outputting said recommended contents, wherein

said content database is classified into recipe groups for dishes taken for a meal, and

when said conditions are input, said recommendation means determines a recipe coincident with or most similar to said conditions, and selects and determines all or part of recipes other than said determined recipe.

32. (Withdrawn) An information recommendation system comprising:

a content database for storing contents formed of plural pieces of data having plural items and attribute values corresponding thereto;

content registration means of registering said contents in said content database;

condition input means of inputting conditions represented by predetermined item and attribute values;

recommendation means of selecting and recommending contents coincident with or similar to said input conditions from said content database;

output means of outputting said recommended contents;

characteristic information calculation means of obtaining characteristic information by calculation for each of said items and storing said characteristic information on the basis of contents registered in the past by a user attempting to receive recommendation, contents recommended to said user or contents recommended to and specified by said user;

type information calculation means of using said characteristic information obtained by calculation for each characteristic as type information, while various characteristics regarding said user have been input; and

type judgment means of judging the type of said user attempting to receive recommendation by comparing said characteristic information of said user with said type information.

33. (Withdrawn) An information recommendation system comprising:

a content database for storing contents formed of plural pieces of data having plural items and attribute values corresponding thereto;

content registration means of registering said contents in said content database;

condition input means of inputting conditions represented by predetermined items and attribute values;

recommendation means of selecting and recommending contents coincident with or similar to said input conditions from said content database;

output means of outputting said recommended contents;

advertisement database for storing plural advertisements having related information having the same configuration as those of said items and said attribute values in said contents; and

advertisement specifying means of specifying advertisements coincident with or similar to said input conditions among advertisements stored in said advertisement database.

34. (Withdrawn) An information recommendation system comprising:

a content database for storing contents formed of plural pieces of data having plural items and attribute values corresponding thereto;

content registration means of registering said contents in said content database;

condition input means of inputting conditions represented by predetermined items and attribute values;

recommendation means of selecting and recommending contents coincident with or similar to said input conditions from said content database;

output means of outputting said recommended contents;

advertisement database for storing plural advertisements having related information having the same configuration as those of said items and said attribute values in said contents; and

advertisement specifying means of specifying an advertisement, which is similar to the characteristic information of each item for a user and obtained by calculation and stored on the basis of contents registered in the past by said user attempting to receive recommendation, contents recommended to said user or contents recommended to and specified by said user, among said advertisements stored in said advertisement database.

35. (Withdrawn) An information recommendation system comprising:

a content database for storing contents formed of plural pieces of data having plural items and attribute values corresponding thereto;

content registration means of registering said contents in said content database;

characteristic information calculation means of obtaining characteristic information by calculation for each of said items and storing said characteristic information on the basis of contents registered in the past by a user attempting to receive recommendation, contents recommended to said user or contents recommended to and specified by said user;

recommendation means, in the case when recommendation is performed to said user having an input user ID, of specifying other users whose characteristic information is coincident with or similar to said characteristic information to said user having said user ID by using stored characteristic information, and of selecting and recommending only the contents not recommended to said user having said user ID or the contents recommended to but not specified by said user from among contents registered in the past by said specified user, contents recommended to said user or contents recommended to and specified by said user, in said content database; and

output means of outputting said recommended contents.

36. (Withdrawn) A program, in an information recommendation apparatus according to claim 1, for making a computer function as all or part of recommendation means of selecting and recommending contents coincident with or similar to conditions input by condition input means of inputting said conditions represented by predetermined items and attribute values corresponding thereto designated through the terminal of a user via the Internet, from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered by registration means.

37. (Withdrawn) A program, in an information recommendation apparatus of claims 2-11, 13, 14 and 16-18, for making a computer function as all or part of recommendation means of selecting and recommending contents coincident with or similar to conditions input by condition input means of inputting said conditions represented by predetermined items and attribute values corresponding thereto, from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered by registration means.

38. (Withdrawn) A program, in an information recommendation apparatus according to claim 15, for making a computer function as all or part of recommendation means of selecting and recommending recipes coincident with or similar to conditions input by condition input means of inputting said conditions represented by predetermined items and attribute values corresponding thereto, from among said recipes formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said recipes are registered by registration means.

39. (Withdrawn) A program, in an information recommendation apparatus according to claim 23, for making a computer function as all or part of recommendation means, in the case when recommendation is performed to said user having an input user ID, of specifying other users whose characteristic information coincident with or similar to said characteristic information to said user having said user ID by using characteristic information, and of selecting and recommending only the contents not recommended to said user having said user ID or the contents recommended to but not specified by said user from among contents registered in the past by said specified user, contents recommended to said user or contents recommended to and specified by said user, from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered by registration means.

40-44. (Canceled).

45. (New) The information recommendation apparatus according to claim 5 comprising condition extraction means of automatically extracting said conditions input to said condition input means.

46. (New) The information recommendation apparatus according to claim 45 wherein the conditions to be input to said condition input means are those extracted on the basis of contents registered in the past by a user who will receive recommendation.

47. (New) The information recommendation apparatus according to claim 45 wherein the conditions to be input to said condition input means are extracted on the basis of contents recommended in the past to a user who is attempting to receive recommendation or on the basis of contents recommended to and specified by said user.

48. (New) A method of providing a recommendation comprising:

receiving conditions input, the conditions represented by predetermined items and attribute values corresponding thereto, from among contents formed of plural pieces of data having plural items and attribute values corresponding thereto and stored in a content database in which said contents are registered;

selecting and recommending contents coincident with or similar to the conditions input;
and

outputting the recommended contents, wherein a number of times or the content of the recommendation which a user attempting to receive recommendation receives is determined depending on the number of times said user carried out registration.

49. (New) The method according to claim 48 wherein the number of registration times of said user is determined (a) by checking the access history of said user with respect to registration or (b) by assigning the user ID of the registrant to said content and by using said user ID.

50. (New) The method according to claim 48 wherein said conditions input are automatically extracted.

51. (New) The method according to claim 50 wherein said conditions input are automatically extracted based on contents registered in the past by a user who will receive recommendation.

52. (New) The method according to claim 50 wherein the conditions input are automatically extracted based on contents recommended in the past to a user who is attempting to receive recommendation or based on contents recommended to and specified by said user.